VANTAGE LIGHTING

Capela™ Series

700–3000 Lumens
Precision optics, High-performance
2", 3", 4" & 6" Architectural Downlights
IC Rating Standard; Dim-to-Warm Option Available

Product Shown: V4CRRM Round Micro-flange and V4CRSM Square Micro-flange

Capela™ Series

Where spec-grade fit and finish, precision optics, performance and value converge.

Introducing the all-new Capela Series—Vantage Lighting's best-in-class, IC-rated* architectural recessed offering of 2"–6" round and square downlights—featuring an innovative, two-stage optic for superior beam control and unparalleled 120 lumens-per-watt efficacy. A broad range of options, including 700–3000 lumen outputs, three custom-engineered 'quiet' reflectors, as well as dim-to-warm and dimming to 0.1% capabilities, ensure optimum delivered performance even for the most demanding architectural applications.

*IC-rated fixtures 2000 lumens max.

Self-flanged, U.S. Cold-rolled Steel Housing

For precision-engineered, high-quality construction

Advanced Fin Cooling Technology

For superior thermal management and long system rated life of 50,000 hours at 70% of initial lumen output (L_{70}≥50,000)

Vantage Two-Stage Optic

Delivers light where needed, with unparalleled efficacy of up to 120 lumens-per-watt and superior optical control, available in 15°, 30° and 45° beam angles



Broadest Range of Premium Drivers

Smooth dimming down to 0.1% allows for maximum lighting control in any architectural setting

NCF Advanced Quick-Connect

Quick connection for new-construction frame which enables reliable, safe installation in minutes

Spec-grade Reflector, Trim and Finish Options

Provide 'quiet' ceilings at any aperture size or style—open, regressed lens or enclosed, in both standard- and micro-flange

All products come with a 5-year warranty.
Meets 'Buy American' requirements (41 U.S.C. 8301-8305)
Manufactured and Listed to UL1598, ETL and CSA standards.
Suitable for Damp Locations. Wet Location under covered ceiling.
Capela is a trademark of Vantage Lighting.

Capela™ Series

SQUARE



ROUND

Performance Options

LUMEN OUTPUTS:		700	1300	2000	3000
	IC RATED	●	●	●	
	NON-IC				●
CCT:		2700K 3000K 3500K 4000K			
		5000K available as custom, consult factory			
Dim-to-Warm* :		1800K-3000K	*Available up to 2000 lumens		
CRI:		80+	90+		
DISTRIBUTIONS:		Narrow 15˚	Medium 30˚	Wide 45˚	
DIMMING:		0-10V, 10% | 0-10V, 1% | 0-10V, <1% | Lutron 2-wire | Lutron 3-wire Lutron Fade-to-Black | Triac (Forward Phase), 10%			
REFLECTOR TYPES:		Open	Enclosed	Regressed Lens	
FLANGE:		Standard	Micro-Flange		
LENSES:		Frosted Polycarbonate	Prismatic Polycarbonate		
FINISHES:		Specular Clear	Soft Glow Clear	White Matte	

Adjustable Fixtures^

- 30° tilt, 360° horizontal adjustability
- Available in all reflector options: open, regressed lens and enclosed

Dim-to-Warm Technology

Available on our entire Capela Series, our dim-to-warm technology is in a class of its own. Featuring a dimming profile that tightly tracks the black body curve of an incandescent lamp, our LED engine delivers 3000K warm white light at 100% output and transitions down to 1800K color temperature when dimmed to 0.1%, all while maintaining 95 CRI and 85 R9.

Capela™ Series Product Options

ROUND

2"	
V2COR	Open Round Downlight
V2CORM	Open Round Micro-Flange Downlight
V2CER	Enclosed Round Downlight
V2CERM	Enclosed Round Micro-Flange Downlight
V2CRR	Regressed Lens Round Downlight
V2CRRM	Regressed Lens Round Micro-Flange Downlight
3"	
V3CRR	Regressed Lens Round Downlight
V3CRRM	Regressed Lens Round Micro-Flange Downlight
V3CRRADJ	Regressed Lens Round Adjustable
4"	
V4COR	Open Round Downlight
V4CORM	Open Round Micro-Flange Downlight
V4CER	Enclosed Round Downlight
V4CERM	Enclosed Round Micro-Flange Downlight
V4CRR	Regressed Lens Round Downlight
V4CRRM	Regressed Lens Round Micro-Flange Downlight
V4CORADJ	Open Round Adjustable
V4CERADJ	Enclosed Round Adjustable
V4CRRADJ	Regressed Lens Round Adjustable
6"	
V6COR	Open Round Downlight
V6CORM	Open Round Micro-Flange Downlight
V6CER	Enclosed Round Downlight
V6CERM	Enclosed Round Micro-Flange Downlight
V6CRR	Regressed Lens Round Downlight
V6CRRM	Regressed Lens Round Micro-Flange Downlight
V6CORADJ	Open Round Adjustable
V6CERADJ	Enclosed Round Adjustable
V6CRRADJ	Regressed Lens Round Adjustable

SQUARE

2"	
V2CRS	Regressed Lens Square Downlight
V2CRSM	Regressed Lens Square Micro-Flange Downlight
3"	
V3CRS	Regressed Lens Square Downlight
V3CRSM	Regressed Lens Square Micro-Flange Downlight
V3CRSADJ	Regressed Lens Square Adjustable
4"	
V4CRS	Regressed Lens Square Downlight
V4CRSM	Regressed Lens Square Micro-Flange Downlight
V4CRSADJ	Regressed Lens Square Adjustable
6"	
V6CRS	Regressed Lens Square Downlight
V6CRSM	Regressed Lens Square Micro-Flange Downlight
V6CRSADJ	Regressed Lens Square Adjustable

Adjustable Fixtures^

- 30° tilt, 360° horizontal adjustability
- Available in all reflector options: open, regressed lens and enclosed

^Horizontal adjustability not available in our Square Adjustables

VANTAGE LIGHTING

181 Narragansett Park Drive
East Providence, RI 02916
p: (860) 564 4512

www.vantageltg.com