

VANTAGE LIGHTING CYLINDERS

Housing

- Spun .064 gauge aluminum cylinder housing.
- Polyester powdercoat finish.
Standard colors: white, black, bronze or silver.
- Custom RAL colors available.
- Mounting options include ceiling, pendant and wall mount.

Reflector

- Heavy gauge hand spun .063 aluminum specular clear "Alzak" low iridescent reflector.
- Optional colors include: Gold, Pewter, Wheat, Black, Umber, Semi-Specular, Haze.

Pendant

- Pendant fixtures are manufactured with a 3/8" mounting stem that attaches to a swivel canopy self-adjusting to 45°.
- 12" length factory standard. Other lengths available.



76 Community Avenue
Plainfield, CT 06374
voice (860) 564.4512
fax (860) 564.4854
www.vantageltg.com




Features

Manufactured and Listed to UL 1598, ETL and CSA standards.
Suitable for Damp Locations.
Suitable for Wet Locations.


VANTAGE LIGHTING HORIZONTAL COMPACT FLUORESCENT CYLINDERS

Features


- Standard Powdercoat Finishes: WHT-White, BLK-Black, BZ-Bronze and CS-Silver. Custom RAL colors available.
- The standard specular clear "Alzak" (SCL) reflector comes with a low iridescent finish. Other finishes available.



Ceiling Mount



Pendant Mount



Wall Mount

Mounting	Size	Series	Lamp	Wattage	Ballast	Finish	Lens	Baffle	Options
<input type="checkbox"/>	<input type="checkbox"/>	HF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VC - Ceiling	107 - 10"x7"	Horizontal	1	13	E1/2 ¹	WHT	11 - Clear	/BL - Black	F - Fusing
VP - Pendant	1010 - 10"x10"	Fluorescent	2*	18	DA7 ²	BLK	14 - Prismatic	/WH - White	PF - Polished Flange
VW - Wall Mount	1212 - 12"x12"		3**	26	DA1 ³	BZ	16 - Fresnel		REM - Remote Emerg. Battery
	1218 - 12"x18"			32	DA2 ⁴	CS	35 - Cross Baffle		EMI - Internal Mounted Emerg. Test Switch (Open Only)
				42		CC			WL* - Suitable for Wet Location
				57***					* - VC and VW Only

Cylinder Sizes

10"x7"			12"x12"				
Mounting	Size	Dimensions	Mounting	Size	Dimensions		
Ceiling	Pendant	Wall	Ceiling	Pendant	Wall		
A	7 1/2"	7 1/2"	7 1/2"	A	9 1/2"	9 1/2"	9 1/2"
B	10"	10"	10"	B	12"	12"	12"
C	7"	7"	7"	C	12"	12"	12"

10"x10"			12"x18"				
Mounting	Size	Dimensions	Mounting	Size	Dimensions		
Ceiling	Pendant	Wall	Ceiling	Pendant	Wall		
A	7 1/2"	7 1/2"	7 1/2"	A	9 1/2"	9 1/2"	9 1/2"
B	10"	10"	10"	B	12"	12"	12"
C	10"	10"	10"	C	18"	18"	18"

Ballast Description

- ¹ Electronic 120/277V ³ Advance Mark X 120V
² Advance Mark VII 120/277V ⁴ Advance Mark X 277V

Cylinder Finishes

- WHT** - Matte White Polyester Powder Coat
BLK - Matte Black Polyester Powder Coat
BZ - Gloss Bronze Polyester Powder Coat
CS - Gloss Silver Polyester Powder Coat
CC - Custom Color (Consult Factory w/RAL#)

* 2 x Triple Tube only available in 12"x12" and 12"x18".


** 3-Lamp available in 12"x18" Only.

*** 57W available in 12"x18" Only, 3-lamp open or 2-lamp lensed.


VANTAGE LIGHTING UP/DOWN CYLINDERS

Features

- Standard Powdercoat Finishes: WHT-White, BLK-Black, BZ-Bronze and CS-Silver. Custom RAL colors available.
- The standard specular clear "Alzak" (SCL) reflector comes with a low iridescent finish. Other finishes available.



10x22 Wall Mount



10x28 Wall Mount

Mounting	Size	Fixture Type	Series	Lamp	Wattage	Ballast	Finish	Options	Lens	Baffle
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	U/D	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VW - Wall Mount	1022 - 10"x22" (HF Only) 1028 - 10"x28"	VF HF MH ♦ HPS ♦ INC		1 2*	CFL 13DTT 18DTT, PLT* 26DTT, PLT* 32PLT* 42PLT*	E1/2¹ DA7² DA1³ DA2⁴	WHT BLK BZ CS CC	F - Fusing REM - Remote Emerg. Battery (CFL Only) WL - Wet Location	11 - Clear 14 - Prismatic 16 - Fresnel	/BL - Black /WH - White

♦ Specify O for Open or E for Enclosed

Fixture Type

VF - Vertical Compact Fluorescent
HF - Horizontal Compact Fluorescent
MH - Metal Halide
HPS - High Pressure Sodium
INC - Incandescent

Ballast Description

¹ Electronic 120/277V
² Advance Mark VII 120/277V
³ Advance Mark X 120V
⁴ Advance Mark X 277V

HID

50
70
100
150

Cylinder Finishes


WHT - Matte White Polyester Powder Coat
BLK - Matte Black Polyester Powder Coat
BZ - Gloss Bronze Polyester Powder Coat
CS - Gloss Silver Polyester Powder Coat
CC - Custom Color (Consult Factory w/RAL#)

* 2 Lamp not available in PLT, HID or INC.


VANTAGE LIGHTING T4/INDUCTION CYLINDERS

Features


- Standard Powdercoat Finishes: WHT-White, BLK-Black, BZ-Bronze and CS-Silver. Custom RAL colors available.
- The standard specular clear "Alzak" (SCL) reflector comes with a low iridescent finish. Other finishes available.



*Ceiling Mount
(T4 Shown)*



*Pendant Mount
(QL Shown)*



*Wall Mount
(T4 Shown)*

Mounting

VC - Ceiling
VP - Pendant
VW - Wall Mount

Size

914 - 9"x14"

Series

T4
Quartz
Halogen

Wattage

500
400
250
150
100

Beam
Spread

N - Narrow
M - Medium
W - Wide

Voltage

1 - 120

Finish

WHT CS
BLK CC
BZ

Options

F - Fusing
PF - Polished Flange

Reflector

SCL - Open
SCL/BL - Black Baffle
SCL/WH - White Baffle

Cylinder Sizes

T4	Ceiling	Pendant	Wall
A	7"	7"	7"
B	9"	9"	9"
C	14"	14"	14"

Cylinder Finishes

WHT - Matte White Polyester Powder Coat
BLK - Matte Black Polyester Powder Coat
BZ - Gloss Bronze Polyester Powder Coat
CS - Gloss Silver Polyester Powder Coat
CC - Custom Color (Consult Factory w/RAL#)

Mounting

VC - Ceiling
VP - Pendant
VW - Wall Mount

Size

1222 - 12"x22"

Series

QL
Induction

Wattage

55
85

Generator

E - Electronic

Voltage

1 - 120V
2 - 277V

Finish

WHT
BLK
BZ
CS
CC

Reflector

SCL - Open
SCL/BL - Black Baffle
SCL/WH - White Baffle


Cylinder Sizes

10" Induction	Pendant
A	10"
B	12"
C	22"


VANTAGE LIGHTING VERTICAL COMPACT FLUORESCENT CYLINDERS

Features


- Standard Powdercoat Finishes: WHT-White, BLK-Black, BZ-Bronze and CS-Silver. Custom RAL colors available.
- The standard specular clear "Alzak" (SCL) reflector comes with a low iridescent finish. Other finishes available.
- Rolled Reflector Edge (6"x14" and 8"x14" only) – adds a touch of style to your Vantage Lighting fixture.




Rolled Reflector Edge



Ceiling Mount



Pendant Mount



Wall Mount

Mounting	Size	Series	Lamp	Wattage	Ballast	Finish	Options	Lens**	Baffle
<input type="checkbox"/>	<input type="checkbox"/>	VF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VC - Ceiling	614 - 6"x14"	Vertical	1	13	E1/2 ¹	WHT	F - Fusing	11 - Clear	/BL - Black
VP - Pendant	814 - 8"x14"	Fluorescent		18	DA7 ²	BLK	PF - Polished Flange	14 - Prismatic	/WH - White
VW - Wall Mount	1012 - 10"x12"			26	DA1 ³	BZ	REM - Remote Emerg. Battery	16 - Fresnel	
	1018 - 10"x18"			32	DA2 ⁴	CS	WL* - Wet Location	35 - Cross Baffle	
				42		CC	(not available for 10"x12"	*10x12 and 10x18 Only	
				57*					
				70*					

Ballast Description

¹ Electronic 120/277V ³ Advance Mark X 120V
² Advance Mark VII 120/277V ⁴ Advance Mark X 277V

*10x18 Only

* - VC and VW Only

Cylinder Finishes

WHT - Matte White Polyester Powder Coat
BLK - Matte Black Polyester Powder Coat
BZ - Gloss Bronze Polyester Powder Coat
CS - Gloss Silver Polyester Powder Coat
CC - Custom Color (Consult Factory w/RAL#)

**6"x14" - Lens option not available.

**8"x14" only, 32w Max; 42W Consult Factory.

**10"x12" 42W Max.

**10"x18" 42W Max.

Cylinder Sizes


6"x14"	Ceiling	Pendant	Wall	10"x12"	Ceiling	Pendant	Wall
A	6"	6"	6"	A	7 1/2"	7 1/2"	7 1/2"
B	6 1/4"	6 1/4"	6 1/4"	B	10"	10"	10"
C	14"	14"	14"	C	12"	12"	12"

8"x14"	Ceiling	Pendant	Wall	10"x18"	Ceiling	Pendant	Wall
A	7 5/8"	7 5/8"	7 5/8"	A	7 1/2"	7 1/2"	7 1/2"
B	8"	8"	8"	B	10"	10"	10"
C	14"	14"	14"	C	18"	18"	18"

VANTAGE LIGHTING HID CYLINDERS

Features

- Standard Powdercoat Finishes: WHT-White, BLK-Black, BZ-Bronze and CS-Silver. Custom RAL colors available.
- The standard specular clear "Alzak" (SCL) reflector comes with a low iridescent finish. Other finishes available.



Mounting	Size	Series	Wattage	Ballast	Voltage	Finish	Lens	Baffle	Options
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VC - Ceiling	814 - 8"x14"	MH_ ♦	50	E - Electronic	1 - 120	WHT	11 - Clear	/BL - Black	F - Fused
VP - Pendant	1018 - 10"x18"	HPS_ ♦	70		2 - 277	BLK	14 - Prismatic	/WH - White	QR - Quartz Restrike
VW - Wall Mount	1022 - 10"x22"	♦Specify O for Open or E for Enclosed	100		3 - 347	BZ	16 - Fresnel		QS - Quartz Socket
	1222 - 12"x22"		150		4 - 208	CS			
	1422 - 14"x22"		175*			CC			
			250**						
			400***						

Cylinder Sizes							
8"x14"	Ceiling	Pendant	Wall	12"x22"	Ceiling	Pendant	Wall
A	8"	8"	8"	A	9 1/2"	9 1/2"	9 1/2"
B	8"	8"	8"	B	12"	12"	12"
C	14"	14"	14"	C	22"	22"	22"
10"x18"	Ceiling	Pendant	Wall	14"x22"	Ceiling	Pendant	Wall
A	7 1/2"	7 1/2"	7 1/2"	A	12"	12"	12"
B	10"	10"	10"	B	14"	14"	14"
C	18"	18"	18"	C	22"	22"	22"
10"x22"	Ceiling	Pendant	Wall				
A	7 1/2"	7 1/2"	7 1/2"				
B	10"	10"	10"				
C	22"	22"	22"				

* 10"x22" Open or 12"x22" or 14"x22" Only.

** 12"x22" Open or 14"x22" Only.

*** 14"x22" Open Only.


Cylinder Finishes

WHT - Matte White Polyester Powder Coat
 BLK - Matte Black Polyester Powder Coat
 BZ - Gloss Bronze Polyester Powder Coat
 CS - Gloss Silver Polyester Powder Coat
 CC - Custom Color (Consult Factory w/RAL#)


VANTAGE LIGHTING INCANDESCENT CYLINDERS

Features


- Standard Powdercoat Finishes: WHT-White, BLK-Black, BZ-Bronze and CS-Silver. Custom RAL colors available.
- The standard specular clear "Alzak" (SCL) reflector comes with a low iridescent finish. Other finishes available.
- Rolled (6"x14" and 8"x14" only) Reflector Edge – adds a touch of style to your Vantage Lighting fixture.




Rolled Reflector Edge



Ceiling Mount



Pendant Mount



Wall Mount

Mounting	Size	Series	Voltage	Wattage	Finish	Lens	Baffle	Options
<input type="checkbox"/>	<input type="checkbox"/>	INC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VC - Ceiling VP - Pendant VW - Wall Mount	614 - 6"x14" 814 - 8"x14" 1010 - 10"x10" 1012 - 10"x12" 1018 - 10"x18" 1222 - 12"x22" 1422 - 14"x22"	Incandescent	1 - 120	75 85 100 150 200 250* 300**	WHT BLK BZ CS CC	11 - Clear 14 - Prismatic 16 - Fresnel (only available in 10"x18" or larger)	/BL - Black /WH - White	PF - Polished Flange WL* - Wet Location (not available in 10"x12" or 14"x22")

Cylinder Sizes

Size	Mounting	A	B	C
6"x10"	Ceiling	6"	6"	10"
	Pendant	6"	6"	10"
	Wall	6"	6"	10"
6"x14"	Ceiling	6"	6"	14"
	Pendant	6"	6"	14"
	Wall	6"	6"	14"
8"x14"	Ceiling	8"	8"	14"
	Pendant	8"	8"	14"
	Wall	8"	8"	14"
10"x10"	Ceiling	7 1/2"	7 1/2"	10"
	Pendant	7 1/2"	7 1/2"	10"
	Wall	7 1/2"	7 1/2"	10"
10"x12"	Ceiling	7 1/2"	7 1/2"	12"
	Pendant	7 1/2"	7 1/2"	12"
	Wall	7 1/2"	7 1/2"	12"
10"x18"	Ceiling	7 1/2"	7 1/2"	18"
	Pendant	7 1/2"	7 1/2"	18"
	Wall	7 1/2"	7 1/2"	18"
12"x22"	Ceiling	9 1/2"	9 1/2"	22"
	Pendant	9 1/2"	9 1/2"	22"
	Wall	9 1/2"	9 1/2"	22"
14"x22"	Ceiling	12"	12"	22"
	Pendant	12"	12"	22"
	Wall	12"	12"	22"

* 8"x14" or larger
** 10"x10" or larger

* - VC and VW Only

Cylinder Finishes

WHT - Matte White Polyester Powder Coat
BLK - Matte Black Polyester Powder Coat
BZ - Gloss Bronze Polyester Powder Coat
CS - Gloss Silver Polyester Powder Coat
CC - Custom Color (Consult Factory w/RAL#)



76 Community Avenue
Plainfield, CT 06374
voice (860) 564.4512
fax (860) 564.4854

www.vantageltg.com