






ARCHITECTURAL FLAIR GUIDE

Linear

(Pendant & Surface Mount)



WET LOCATION LINEAR PENDANT **NEW**

Now bring your exterior applications to life with a special designed wet location linear pendant. This aluminum extrusion is 3.5" wide for a bold yet minimal look with a sealed lens to keep out moisture and bugs. Specially designed power cord and mounting kits allows the fixture to be pendant or surface mounted. Choose individual fixtures or fixtures made especially for continuous runs. Both versions complete with all mounting brackets and joiner accessories. Available in satin aluminum and in 4000 and 5000 kelvin or consult for other custom options.


ITEM NO.	DESCRIPTION
Individual Fixtures	
CWLLL48L45W4900LDMV40KSA	48.7"L x 3.58"W x 3.58"H / Frosted Lens / 45W, 4900L / 0-10V Dim / 4000K / Satin Aluminum / Included 1xWLLLPPF6, 1xWLLLMT
CWLLL96L90W9800LDMV40KSA	96.7"L x 3.58"W x 3.58"H / Frosted Lens / 90W, 9800L / 0-10V Dim / 4000K / Satin Aluminum / Included 1xWLLLPPF6, 1xWLLLMT
Longer Run - Specify Beginner (-B), Joiner (-J) and Ender (-E)	
CWLLL48L45W4900LDMV40KSA-B	48.7"L x 3.58"W x 3.58"H / Frosted Lens / 45W, 4900L / 0-10V Dim / 4000K / Satin Aluminum / Beginner / Included 1xWLLLPPF6, 1xWLLLMT
CWLLL96L90W9800LDMV40KSA-B	96.7"L x 3.58"W x 3.58"H / Frosted Lens / 90W, 9800L / 0-10V Dim / 4000K / Satin Aluminum / Beginner / Included 1xWLLLPPF6, 1xWLLLMT
CWLLL48L45W4900LDMV40KSA-J	48.7"L x 3.58"W x 3.58"H / Frosted Lens / 45W, 4900L / 0-10V Dim / 4000K / Satin Aluminum / Joiner / Included 1xWLLLMT, 1xWLLLJB, WLLJN8
CWLLL96L90W9800LDMV40KSA-J	96.7"L x 3.58"W x 3.58"H / Frosted Lens / 90W, 9800L / 0-10V Dim / 4000K / Satin Aluminum / Joiner / Included 1xWLLLMT, 1xWLLLJB, WLLJN8
CWLLL48L45W4900LDMV40KSA-E	48.7"L x 3.58"W x 3.58"H / Frosted Lens / 45W, 4900L / 0-10V Dim / 4000K / Satin Aluminum / Ender / Included 1xWLLLMT, 1xWLLLJB, WLLJN8
CWLLL96L90W9800LDMV40KSA-E	96.7"L x 3.58"W x 3.58"H / Frosted Lens / 90W, 9800L / 0-10V Dim / 4000K / Satin Aluminum / Ender / Included 1xWLLLMT, 1xWLLLJB, WLLJN8
Accessories (only for specials)	
WLLLPPF6	6ft black 5 wires dimming power feed with fast connector one side
WLLJN8	8.67" black dimming wiring harness with fast connector both side
WLLLMT	Fix Clips for surface mounted and pendant bracket / 2 pieces per set
WLLLJB	180° Straight connector / 2 pieces per set

CCT6 WET



Create Linear Impact Outdoors

Acoustical Lighting



LINEAR BAFFLE ACOUSTIC

This highly customizable fixture seamlessly integrates quality lighting with sound absorbing technology. With four different length options, three different height options, and three different end styles, the creative possibilities are endless for your unique space. It is functional as a stand alone fixture or as part of a matching baffle system.

SERIES	LENGTH	X	HEIGHT	GEAR	DIRECT/INDIRECT	WATTAGE & LUMENS		DRIVER	COLOR TEMP		
LAB Linear Acoustic Baffle	24	24.00"	12	LY	D	12W	12 Watts	DMV G120	0-10V dimming Triac or ELV dimming at 120V only	30K	3000K
			16		U		1320 Lumens			35K	3500K
			24		24.00"		24Watts			40K	4000K
	48	48.00"	Consult for other height options		24W	24 Watts	50K			5000K	
			24	2640 Lumens							
			48W	48 Watts							
72	72.00"	36W	36 Watts	72W	72 Watts						
			3960 Lumens		7920 Lumens						
			52W		52 Watts						
96	96.00"	96W	96 Watts	96W	10560 Lumens						
			10560 Lumens								

FLAIR A	FLAIR B	MATERIAL CLASS	OPTIONS	
A52	Latte	Blank	Class B	HC605WH
A50	Caramel	W	Class A	HC605WHNPF
A43	Lava	M		

Cable kit with 6' cable & 5 wire power feed/cable incl., clear cord and white canopy (included power feed and non-power feed)
Cable kit with 6' cable & white canopy, non power feed (non-power feed only)

Consult for pricing.

Unit Baffles

SERIES	LENGTH	X	HEIGHT	FLAIR A	FLAIR B	MATERIAL CLASS	OPTIONS	
LAB Linear Acoustic Baffle	24	24.00"	12	A52	Latte	Blank	Class B	HC605WHNPF
	48	48.00"	16	A50	Caramel	W	Class A	HC612WHNPF
	72	72.00"	24	A43	Lava	M		
	96	96.00"						





Cable kit with 6' cable & white canopy, non power feed (non-power feed only)
Cable kit with 12' cable & white canopy, non power feed (non-power feed only)

Architectural Flair

Exceed your lighting expectations, not your budget.

Whether you're revitalizing an existing space or designing a new one, finding the right lighting shouldn't come down to a decision between visual appeal or affordability. At Vantage Lighting, we believe in delivering both.

Our Architectural Flair collection makes it easy to turn heads and create an impression from lighting designed with beauty and personality at its core. Every fixture is built with the latest energy-saving, long-lasting LED technology you depend on. And because of our efficient USA-based manufacturing structure and industrial designs, we offer a fair value that doesn't come at the expense of your bottom line.




HEX LINEAR CONNECTOR SERIES

Explore infinite design possibilities and add a unique element to your existing design by tapping into nature's strongest shape. The brand-NEW HEX Series provides opportunities to make each design space your own allowing you to make a statement with lighting! Utilize a single HEX or a 3 Light HEX individually or in a cluster design to make the perfect hanging fixture. Ideal for large circulation spaces or conference rooms.

Get 3-dimensional, statement lighting with infinite configuration possibilities. Connected in series of 1's and 3's, multiple knockouts on fixtures allow for seamless wiring between fixture sets.

ITEM NO.	DESCRIPTION
LHCPFR24DLQ40WDMVWH40K-01	24D/PENDANT/FROSTED LENS/40W, 1950L/ 0-10V DIM/40K/PENDANT UNO
LHCPFR24DLQ120WDMVWH40K-03	24D/PENDANT/FROSTED LENS/120W, 5850L/0-10V DIM/40K/PENDANT TRIO

D1MV **CCT1** **PEND**



L23H HASHTAG LUMINAIRE



The Hashtag series gives you the ability to alter your space, providing an abundance of light from a linear LED cross-fixture system. Two tiers of staggered L23 luminaires create an intriguing, contemporary look that will add beauty and sophistication to any hospitality, office, or retail space. A variety of powder coated finishes are available for both the body and end caps.

A uniquely engineered cross-fixture system featuring two tiers of staggered 2"x3" linear fixtures that creates a contemporary LED installation.

ITEM NO.	DESCRIPTION
L23HSFR58X58LQ148WDMVWH40KRD	HASHTAG SERIES/ 58.25"W x 58.25"L x 9"H/ 148W
L23HSFR58X58LQ220WDMVWH40KRD	HASHTAG SERIES/ 58.25"W x 58.25"L x 9"H/ 266W

EM6 **G120** **OS2** **D1MV** **90CRI** **CCT1**





PLY23 FAN DIRECT AND INDIRECT

The PLY23 Fan has a specially designed central bracket to create this radial, monopoint configuration using 3, 5, or 6 blades.

ITEM NO.	DESCRIPTION
PLY23PFR51LUT36WD60WDMVWH40KRD-F3	24" L23/ 51" DIA x 3.23" H/ 3 BLADE/ FAN
PLY23PFR51LUT60WD100WDMVWH40KRD-F5	24" L23/ 51" DIA x 3.23" H/ 5 BLADE/ FAN
PLY23PFR51LUT72WD120WDMVWH40KRD-F6	24" L23/ 51" DIA x 3.23" H/ 6 BLADE/ FAN
PLY23PFR99LUT72WD120WDMVWH40KRD-F3	48" L23/ 99" DIA x 3.23" H/ 3 BLADE/ FAN
PLY23PFR99LUT120WD200WDMVWH40KRD-F5	48" L23/ 99" DIA x 3.23" H/ 5 BLADE/ FAN
PLY23PFR99LUT144WD240WDMVWH40KRD-F6	48" L23/ 99" DIA x 3.23" H/ 6 BLADE/ FAN
PLY23PFR147LUT108WD180WDMVWH40KRD-F3	72" L23/ 147" DIA x 3.23" H/ 3 BLADE/ FAN
PLY23PFR147LUT180WD300WDMVWH40KRD-F5	72" L23/ 147" DIA x 3.23" H/ 5 BLADE/ FAN
PLY23PFR147LUT216WD360WDMVWH40KRD-F6	72" L23/ 147" DIA x 3.23" H/ 6 BLADE/ FAN

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY23 FAN DIRECT ONLY

The PLY23 Fan has a specially designed central bracket to create this radial, monopoint configuration using 3, 5, or 6 blades.

ITEM NO.	DESCRIPTION
PLY23PFR99LT120WDMVWH40KRD-F3	48" L23/ 99" DIA x 3.23" H/ DOWN ONLY/ 3 BLADE/ FAN
PLY23PFR99LT200WDMVWH40KRD-F5	48" L23/ 99" DIA x 3.23" H/ DOWN ONLY/ 5 BLADE/ FAN
PLY23PFR99LT240WDMVWH40KRD-F6	48" L23/ 99" DIA x 3.23" H/ DOWN ONLY/ 6 BLADE/ FAN
PLY23PFR51LT60WDMVWH40KRD-F3	24" L23/ 51" DIA x 3.23" H/ DOWN ONLY/ 3 BLADE/ FAN
PLY23PFR51LT100WDMVWH40KRD-F5	24" L23/ 51" DIA x 3.23" H/ DOWN ONLY/ 5 BLADE/ FAN
PLY23PFR51LT120WDMVWH40KRD-F6	24" L23/ 51" DIA x 3.23" H/ DOWN ONLY/ 6 BLADE/ FAN
PLY23PFR147LT180WDMVWH40KRD-F3	72" L23/ 147" DIA x 3.23" H/ DOWN ONLY/ 3 BLADE/ FAN
PLY23PFR147LT300WDMVWH40KRD-F5	72" L23/ 147" DIA x 3.23" H/ DOWN ONLY/ 5 BLADE/ FAN
PLY23PFR147LT360WDMVWH40KRD-F6	72" L23/ 147" DIA x 3.23" H/ DOWN ONLY/ 6 BLADE/ FAN

EM6 G120 OS2 D1MV 90CRI CCT1



Hanging Kits with 5 Wire 5 Ft Included.

Most fixtures are available in a range of finishes, see page 196.



EASY TO INSTALL, HARD TO IGNORE.

When designing the PLY series, ease of ordering and install were of top priority. Simply order using one item number that includes everything needed for install. Assemble within minutes by following simplified installation instructions available for download at sayliteshowcase.com.



PLY23 TRIANGLE DIRECT AND INDIRECT

The PLY23 Triangle uses 2"X3" linears and uniquely designed brackets that allow for an easy "plug and play" installation.

ITEM NO.	DESCRIPTION
PLY23PFR30X35LUT36WD60WDMVWH40KRD-TR	24" L23/ 30" W x 35" L x 3.23" H/ TRIANGLE
PLY23PFR51X59LUT72WD120WDMVWH40KRD-TR	48" L23/ 51" W x 59" L x 3.23" H/ TRIANGLE
PLY23PFR72X83LUT108WD180WDMVWH40KRD-TR	72" L23/ 72" W x 83" L x 3.23" H/ TRIANGLE
PLY23PFR93X107LUT144WD240WDMVWH40KRD-TR	96" L23/ 93" W x 107" L x 3.23" H/ TRIANGLE

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY23 TRIANGLE DIRECT ONLY

The PLY23 Triangle uses 2"X3" linears and uniquely designed brackets that allow for an easy "plug and play" installation.

ITEM NO.	DESCRIPTION
PLY23PFR30X35LT60WDMVWH40KRD-TR	24" L23/ 30" W x 35" L x 3.23" H/ DOWN ONLY/ TRIANGLE
PLY23PFR51X59LT120WDMVWH40KRD-TR	48" L23/ 51" W x 59" L x 3.23" H/ DOWN ONLY/TRIANGLE
PLY23PFR72X83LT180WDMVWH40KRD-TR	72" L23/ 72" W x 83" L x 3.23" H/ DOWN ONLY/ TRIANGLE
PLY23PFR93X107LT240WDMVWH40KRD-TR	96" L23/ 93" W x 107" L x 3.23" H/ DOWN ONLY/TRIANGLE

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY23 SQUARE DIRECT AND INDIRECT

The PLY23 Square uses 2"X3" linears and uniquely designed brackets that allow for an easy "plug and play" installation.

ITEM NO.	DESCRIPTION
PLY23PFR32X32LUT48WD80WDMVWH40KRD-SQ	24" L23/ 32" W x 32" L x 3.23" H/ SQUARE
PLY23PFR56X56LUT96WD160WDMVWH40KRD-SQ	48" L23/ 56" W x 56" L x 3.23" H/ SQUARE
PLY23PFR80X80LUT144WD240WDMVWH40KRD-SQ	72" L23/ 80" W x 80" L x 3.23" H/ SQUARE
PLY23PFR104X104LUT192WD320WDMVWH40KRD-SQ	96" L23/ 104" W x 104" L x 3.23" H/ SQUARE

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY23 SQUARE DIRECT ONLY

The PLY23 Square uses 2"X3" linears and uniquely designed brackets that allow for an easy "plug and play" installation.

ITEM NO.	DESCRIPTION
PLY23PFR32X32LT80WDMVWH40KRD-SQ	24" L23/ 32" W x 32" L x 3.23" H/ DOWN ONLY/ SQUARE
PLY23PFR56X56LT160WDMVWH40KRD-SQ	48" L23/ 56" W x 56" L x 3.23" H/ DOWN ONLY/ SQUARE
PLY23PFR80X80LT240WDMVWH40KRD-SQ	72" L23/ 80" W x 80" L x 3.23" H/ DOWN ONLY/ SQUARE
PLY23PFR104X104LT320WDMVWH40KRD-SQ	96" L23/ 104" W x 104" L x 3.23" H/ DOWN ONLY/ SQUARE

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.



PLY23 PENTAGON DIRECT AND INDIRECT

The PLY23 Pentagon uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR57LUT60WD100WDMVWH40KRD-PT	24" L23/ 57" DIA x 3.23" H/ PENTAGON
PLY23PFR92LUT120WD200WDMVWH40KRD-PT	48" L23/ 92" DIA x 3.23" H/ PENTAGON
PLY23PFR133LUT180WD300WDMVWH40KRD-PT	72" L23/ 133" DIA x 3.23" H/ PENTAGON
PLY23PFR174LUT400WD500WDMVWH40KRD-PT	96" L23/ 174" DIA x 3.23" H/ PENTAGON

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.




PLY23 PENTAGON DIRECT ONLY

The PLY23 Pentagon uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR92LT200WDMVWH40KRD-PT	48" L23/ 92" DIA x 3.23" H/ DOWN ONLY/ PENTAGON
PLY23PFR133LT300WDMVWH40KRD-PT	72" L23/ 133" DIA x 3.23" H/ DOWN ONLY/ PENTAGON
PLY23PFR174LT500WDMVWH40KRD-PT	96" L23/ 174" DIA x 3.23" H/ DOWN ONLY/ PENTAGON

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.




PLY23 HEXAGON DIRECT AND INDIRECT

The PLY23 Hexagon uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR69LUT72WD120WDMVWH40KRD-HX	24" L23/ 61" DIA x 3.23" H/ HEXAGON
PLY23PFR109LUT144WD240WDMVWH40KRD-HX	48" L23/ 109" DIA x 3.23" H/ HEXAGON
PLY23PFR157LUT180WD300WDMVWH40KRD-HX	72" L23/ 157" DIA x 3.23" H/ HEXAGON
PLY23PFR205LUT240WD400WDMVWH40KRD-HX	96" L23/ 205" DIA x 3.23" H/ HEXAGON

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.




PLY23 HEXAGON DIRECT ONLY

The PLY23 Hexagon uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR69LT120WDMVWH40KRD-HX	24" L23/ 61" DIA x 3.23" H/ DOWN ONLY/ HEXAGON
PLY23PFR109LT240WDMVWH40KRD-HX	48" L23/ 109" DIA x 3.23" H/ DOWN ONLY/ HEXAGON
PLY23PFR157LT300WDMVWH40KRD-HX	72" L23/ 157" DIA x 3.23" H/ DOWN ONLY/ HEXAGON
PLY23PFR205LT400WDMVWH40KRD-HX	96" L23/ 205" DIA x 3.23" H/ DOWN ONLY/ HEXAGON

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.




PLY23 OCTAGON DIRECT AND INDIRECT

The PLY23 Octagon uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR77LUT96WD160WDMVWH40KRD-OT	24" L23/ 77" DIA x 3.23" H/ OCTAGON
PLY23PFR202LUT192WD320WDMVWH40KRD-OT	48" L23/ 202" DIA x 3.23" H/ OCTAGON
PLY23PFR223LUT288WD480WDMVWH40KRD-OT	72" L23/ 223" DIA x 3.23" H/ OCTAGON
PLY23PFR265LUT384WD640WDMVWH40KRD-OT	96" L23/ 265" DIA x 3.23" H/ OCTAGON

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.




PLY23 OCTAGON DIRECT ONLY

The PLY23 Octagon uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR77LT160WDMVWH40KRD-OT	24" L23/ 77" DIA x 3.23" H/ DOWN ONLY/ OCTAGON
PLY23PFR202LT320WDMVWH40KRD-OT	48" L23/ 202" DIA x 3.23" H/ DOWN ONLY/ OCTAGON
PLY23PFR223LT480WDMVWH40KRD-OT	72" L23/ 223" DIA x 3.23" H/ DOWN ONLY/ OCTAGON
PLY23PFR265LT640WDMVWH40KRD-OT	96" L23/ 265" DIA x 3.23" H/ DOWN ONLY/ OCTAGON

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.




PLY23 CROSS DIRECT AND INDIRECT

The PLY23 Cross uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR60X60LUT48WD80WDMVWH40KRD-CR	24" L23/ 60" W x 60" L / CROSS
PLY23PFR108X108LUT96WD160WDMVWH40KRD-CR	48" L23/ 108" W x 108" L / CROSS
PLY23PFR156X156LUT144WD240WDMVWH30KRD-CR	72" L23/ 156" W x 156" L / CROSS
PLY23PFR204X204LUT192WD320WDMVWH30KRD-CR	96" L23/ 204" W x 204" L / CROSS

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.







PLY23 CROSS DIRECT ONLY

The PLY23 Cross uses 2”X3” linears and uniquely designed brackets that allow for an easy “plug and play” installation.

ITEM NO.	DESCRIPTION
PLY23PFR60X60LT80WDMVWH40KRD-CR	24" L23/ 60" W x 60" L / DOWN ONLY/ CROSS
PLY23PFR108X108LT160WDMVWH40KRD-CR	48" L23/ 108" W x 108" L / DOWN ONLY/ CROSS
PLY23PFR156X156LT240WDMVWH30KRD-CR	72" L23/ 156" W x 156" L / DOWN ONLY/ CROSS
PLY23PFR204X204LT320WDMVWH30KRD-CR	96" L23/ 204" W x 204" L / DOWN ONLY/ CROSS

EM6 G120 OS2 D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.



PLY44 SQUARE DIRECT AND INDIRECT

The PLY44 Square's unique plug and play design makes for a seamless installation process using 4"x4" linears and connectors.

ITEM NO.	DESCRIPTION
PLY44SF34X34LUR56WD96WDMVWH40KRD-SQ	24" 44P/ 34" W x 34" L x 4.05"H/ SQUARE
PLY44SF58X58LUR112WD192WDMVWH40KRD-SQ	48" 44P/ 58" W x 58" L x 4.05"H/ SQUARE
PLY44SF82X82LUR168WD288WDMVWH40KRD-SQ	78" 44P/ 82" W x 82" L x 4.05"H/ SQUARE
PLY44SF108X108LUR224WD384WDMVWH40KRD-SQ	96" 44P/ 108" W x 108" L x 4.05"H/ SQUARE

EM6 G120 OS2 RGBW D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY44 SQUARE DIRECT ONLY

The PLY44 Square's unique plug and play design makes for a seamless installation process using 4"x4" linears and connectors.

ITEM NO.	DESCRIPTION
PLY44SF34X34LR96WDMVWH40KRD-SQ	24" 44P/ 34" W x 34" L x 4.05"H/ DOWN ONLY/ SQUARE
PLY44SF58X58LR192WDMVWH40KRD-SQ	48" 44P/ 58" W x 58" L x 4.05"H/ DOWN ONLY/ SQUARE
PLY44SF82X82LR288WDMVWH40KRD-SQ	78" 44P/ 82" W x 82" L x 4.05"H/ DOWN ONLY/ SQUARE
PLY44SF108X108LR384WDMVWH40KRD-SQ	96" 44P/ 108" W x 108" L x 4.05"H/ DOWN ONLY/ SQUARE

EM6 G120 OS2 RGBW D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY44 HEXAGON DIRECT AND INDIRECT

The PLY44 Hexagon's unique plug and play design makes for a seamless installation process using 4"x4" linears and connectors.

ITEM NO.	DESCRIPTION
PLY44SF61LUR84WD144WDMVWH40KRD-HX	24" 44P / 61" DIA/ HEXAGON
PLY44SF108LUR168WD288WDMVWH40KRD-HX	48" 44P / 108" DIA/ HEXAGON
PLY44SF156LUR252WD432WDMVWH40KRD-HX	72" 44P/ 156" DIA/ HEXAGON
PLY44SF204LUR336WD576WDMVWH40KRD-HX	96" 44P/ 204" DIA/ HEXAGON

EM6 G120 OS2 RGBW D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY44 HEXAGON DIRECT ONLY

The PLY44 Hexagon's unique plug and play design makes for a seamless installation process using 4"x4" linears and connectors.

ITEM NO.	DESCRIPTION
PLY44SF61LRD144DMVWH40KRD-HX	24" 44P / 61" DIA/ DOWN ONLY/ HEXAGON
PLY44SF108LRD288DMVWH40KRD-HX	48" 44P / 108" DIA/ DOWN ONLY/ HEXAGON
PLY44SF156LRD432DMVWH40KRD-HX	72" 44P/ 156" DIA/ DOWN ONLY/ HEXAGON
PLY44SF204LRD576DMVWH40KRD-HX	96" 44P/ 204" DIA/ DOWN ONLY/ HEXAGON

EM6 G120 OS2 RGBW D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.



PLY44 OCTAGON DIRECT AND INDIRECT

The PLY44 Octagon's unique plug and play design makes for a seamless installation process using 4"x4" linears and connectors.

ITEM NO.	DESCRIPTION
PLY44SF77LUR112WD192WDMVWH40KRD-OT	24" 44P / 77" DIA/ OCTAGON
PLY44SF140LUR224WD384WDMVWH40KRD-OT	48" 44P / 140" DIA/ OCTAGON
PLY44SF203LUR336WD576WDMVWH40KRD-OT	72" 44P / 203" DIA/ OCTAGON
PLY44SF265LUR448WD768WDMVWH40KRD-OT	96" 44P / 265" DIA/ OCTAGON

EM6 G120 OS2 RGBW D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.

PLY44 OCTAGON DIRECT ONLY

The PLY44 Octagon's unique plug and play design makes for a seamless installation process using 4"x4" linears and connectors.

ITEM NO.	DESCRIPTION
PLY44SF77LR192WDMVWH40KRD-OT	24" 44P / 77" DIA/ DOWN ONLY/ OCTAGON
PLY44SF140LR384WDMVWH40KRD-OT	48" 44P / 140" DIA/ DOWN ONLY/ OCTAGON
PLY44SF203LR576WDMVWH40KRD-OT	72" 44P / 203" DIA/ DOWN ONLY/ OCTAGON
PLY44SF265LR768WDMVWH40KRD-OT	96" 44P / 265" DIA/ DOWN ONLY/ OCTAGON

EM6 G120 OS2 RGBW D1MV 90CRI CCT1

Hanging Kits with 5 Wire 5 Ft Included.



They brew it up. We make it shine.

Find the right solution with a one-of-a-kind statement fixture.

A major convenience store chain in Florida was looking to create a bold but cost-effective in-store experience by shining a light on their new coffee bar as a modern, inviting space. The installation needed to reflect the "better than convenience store" quality of their coffee.

Architectural Flair



Lit corners

Consult for Different Configurations (Squares or Rectangles, Up and Downlight Versions, or Different Shapes of Lit Patterns)

LED LINEAR PENDANT SQUARE 4" X 4", 4-FOOT AND 8-FOOT SQUARES

Create dramatic geometric lines of light in 4-foot or 8-foot squares or consult for custom lit configurations. Lit corners, shadowless LED and energy-efficient performance provide excellent general lighting. Ideal for circulation spaces, lobbies, retail and conference rooms with high ceilings, a desire for industrial feel and a compliment to the architectural style.

ITEM NO.	DESCRIPTION
44PSF4X4R96WDMV40KWH-HC4015WWH	4"x4" 4ft. Sq / 96W, 9600L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord
44PSF4X4R128WDMV40KWH-HC4015WWH	4"x4" 4ft. Sq / 128W, 12800L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord
44PSF8X8R192WDMV40KWH-HC4015WH	4"x4" 8ft. Sq / 192W, 19200L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord
44PSF8X8R256WDMV40KWH-HC4015WWH	4"x4" 8ft. Sq / 256W, 25600L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord

EM2 G120 RGBW D1MV 90CRI CCT1 SURF

LED LINEAR PENDANT SQUARE DIRECT/INDIRECT

The 45 Series offers all the benefits of the 44 Series but is specifically designed for direct/indirect lighting with a snap-in lens to hide the lamps or LED arrays. Ideal where downlight and uplight are required.




ITEM NO.	DESCRIPTION
45PSF4X4UR24WD96WDMV40KWHHC4015WWH	4"x5" 4ft. Sq / Up 24W, Dn 96W, 12000L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord
45PSF4X4UR32WD128WDMV40KWHHC4015WWH	4"x5" 4ft. Sq / Up 32W, Dn 128W, 16000L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord
45PSF8X8UR48WD192WDMV40KWHHC4015WH	4"x5" 8ft. Sq / Up 48W, Dn 192W, 24000L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord
45PSF8X8UR64WD256WDMV40KWHHC4015WWH	4"x5" 8ft. Sq / Up 64W, Dn 256W, 32000L / 0-10V Dim / 4000K / White / 4ft WH Canopy Kit with 5 Wire Cord

EM2 G120 RGBW D1MV 90CRI CCT1 NEW

LED LINEAR PENDANT FIXED RECTANGULAR CHANNEL


Make a bold design statement with this geometric-shaped line of light. The CLLLSF4X8 is easy to specify, order, and install, making it ideal for both residential and commercial general lighting applications. This 4 x 8 foot rectangle with 2.2" wide linear channel with center lit channel is available for quick ship and economical applications to fill a large space without impairing visibility. See www.saylite.com for video on how to install.



ITEM NO.	DESCRIPTION
CLLLSF4X8T210WDMV35KALHC705WH	4' x 8' / 2.2"W x 2.7"H / 210W, 21000L / 0-10V Dim / 3500K / Silver / 6ft WH Canopy Kit with 5 Wire Cord
CLLLSF4X8T210WDMV35KWHHC705WH	4' x 8' / 2.2"W x 2.7"H / 210W, 21000L / 0-10V Dim / 3500K / White / 6ft WH Canopy Kit with 5 Wire Cord
CLLLSF4X8T210WDMV40KALHC705WH	4' x 8' / 2.2"W x 2.7"H / 210W, 21000L / 0-10V Dim / 4000K / Silver / 6ft WH Canopy Kit with 5 Wire Cord
CLLLSF4X8T210WDMV40KWHHC705WH	4' x 8' / 2.2"W x 2.7"H / 210W, 21000L / 0-10V Dim / 4000K / White / 6ft WH Canopy Kit with 5 Wire Cord

CCT5

Custom Configurations Available.



See page 39 for new Hexagon fixture.

SBC

Upgrade your lighting with the luminous and redefining SBC series. This fixture features an ultra-thin face for a virtually frameless appearance. Engineered stretch glow fabric produces a soft glow, while specially designed LED strips provide bright, white and energy efficient illumination. Six standard sizes and three mounting options are available. Utilize multiple fixtures for a dramatic display or use as custom signage by printing artwork directly onto the fabric.



SBC LED SHADOW BOX

This fixture features an ultra-thin face for a virtually frameless appearance. Engineered stretch glow fabric produces an even, soft glow for a cloud-like appearance.



ITEM NO.	DESCRIPTION
SBCSM9X9LP10DMVWH40	SBC/ 9"W x9"L/ 10W/ SURFACE
SBCSM12X12LP12DMVWH40	SBC/ 12"W x12"L/ 12W/ SURFACE
SBCSM20X20LP18DMVWH40	SBC/ 20"W x20"L/ 18W/ SURFACE
SBCSM24X24LP22DMVWH40	SBC/ 24"W x24"L/ 22W/SURFACE
SBCSM24X48LP44DMVWH40	SBC/ 24"W x48"L/ 44W/ SURFACE
SBCSM48X48LP88DMVWH40	SBC/ 48"W x48"L/ 88W/SURFACE

EM7 G120 D1MV CCT1 PEND

For pendant mount change SM to P. Pendant kit includes cable kit.

