
DIMENSIONS

Project Name:



FEATURES

Electrogalvanized steel frame components with spring steel reflector clips for fast assembly of reflector. Innovative, rigid bar hangers incorporate formed cross sections, joist positioning tabs, integral nails, auxiliary nailholes, T-Bar slots and holes for locking bars to T-Bar using #8 self-tapping screws (supplied by others). Bars extend 14"-24". Frame will also accept Caddy Bar #517B for fast installation in drop-in ceilings,

Heavy gauge electrogalvanized steel junction box, prewired and grounded with easy access from below. Listed for through branch circuit wiring. Thermal cutout provided.

Aluminum socket cup with spring steel snap-in clips for fast assembly. UL Listed medium base porcelain socket, with nickel plated brass screw shell.

Heavy gauge spun aluminum low iridescent reflector with self trimming white painted flange. Polished Flange available.

REFLECTOR KIT

OPEN

7" Aperture 7000 Open **Finish Options** 10 1/2 SCL Specular Clear "Alzak" SGC Soft Glow Clear Etch Clear **ECL** WHT White Reflector Polished Flange

Type:_

OPEN BAFFLED

7" Aperture 7050 Open Baffled Finish Options 10^{'1}/₂^ Specify reflector finish option - see above, then add baffle finish color Black Baffle WH White Baffle

WALL WASH

RΙ

7" Aperture 7102 Wall Wash Finish Options 10¹/₂" SCL Specular Clear "Alzak" SGC Soft Glow Clear **ECL** Etch Clear **Options** PF Polished Flange DWW Double Wall Wash

Features



Manufactured and Listed to UL 1598, ETL and CSA standards. Suitable for Damp Locations. Wet location under covered ceiling

ORDERING INFORMATION

Lamps and Wattage	Housing	Reflector	Finish	Baffle	Options
150 A21 (MAX) 100 A19	7INC 7INC-GU24	7000 Baffled 7050 Wall Wash 7102	SCL SGC ECL WHT	BL WH	PF DWW GSK 277 SD 347 SD

PF - Polished Flange DWW - Double Wall Wash GSK - Neoprene Foam Gasketing 277V SD - Step Down Transformer 347V SD - Step Down Transformer

EXAMPLE: 7INC-7000-SCL

Vantage reserves the right to change components, finishes or design details in any manner which does not alter the installed appearance or reduce performance and intended function. ▲ See Options pages for other options and finishes. Suitable for use with LED lamps.